Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott

Governor

John H. Armstrong, MD, FACS

State Surgeon General & Secretary

Vision: To be the Healthiest State in the Nation

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS SURVEILLANCE

MONTHLY HIV/AIDS SURVEILLANCE REPORT

FEBRUARY 2016

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (AIDS Worksheet)

AIDS cases by age group and gender (Excluding Department of Correction - DOC).

AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

AIDS cases by year of report and gender (Excluding DOC)

Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

Pediatric AIDS cases by exposure category, race/ethnicity and gender.

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (HIV Worksheet)

HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)

HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

HIV (not AIDS) cases by year of report and gender (Excluding DOC)

Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

(Continue next Page)

Florida Department of Health

Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200. Miami, Florida 33126

PHONE: 305/470-5660 - FAX 305/470-5533

www.FloridaHealth.com

TWITTER: HealthyFLA
FACEBOOK: FLDepartmentofHealth
YOUTUBE: fldoh
FLICKR: HealthyFla
PRINTREST: HealthtyFla

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott

Governor

John H. Armstrong, MD, FACS

State Surgeon General & Secretary

Vision: To be the Healthiest State in the Nation

Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC) Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006 (PERINATAL EXPOSED Worksheet)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.

CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2015.

All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

AIDS AND HIV (NOT AIDS) PREVALENCE (PLWHA)

Total prevalence by diagnosis categoru.

Total prevalence by gender.

Total prevalence by race/ethnicity.

Total prevalence by current age group.

Total prevalence by exposure category.

ONE-IN STATEMENTS (ONE-IN STATEMENTS Worksheet)

One-in statements for persons (all ages) living with HIV or AIDS through 2013 (all ages) in Miami-Dade & Florida.

One-in statements for adult (>=13) persons living with HIV or AIDS through 2013 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (WEBSITE Worksheet)

Useful websites for HIV/AIDS related information.

Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200, Miami, Florida 33126
PHONE: 305/470-5660 - FAX 305/470-5533

Please note that as of January 2016, all HIV/AIDS Data will be based on the following.

Per the Bureau of HIV/AIDS:

Current HIV Infection data by <u>year of report reflects</u> any case meeting the CDC definition of 'HIV infection' which includes all newly reported HIV cases and newly reported AIDS cases with no previous report of HIV in Florida.

If a case is later identified as being previously diagnosed and reported from another state, the case will no longer be reflected as a Florida case and the data will be adjusted accordingly.

Data from the most recent calendar year (2015) are considered provisional and therefore <u>should not</u> be used to confirm or rule out an increase in newly reported cases in Florida.

The final year-end numbers are generated in July of the following year, after duplicate cases are removed from the dataset, as is customary of HIV surveillance in the US

CAVEAT 3 of 24

FEBRUARY 2016

Cumulative Number of Reported AIDS Cases

| AIDS Cases by age group and | gender (Ex | cluding D | Department | of Correc | tion - DOC | ;) | AIDS (| Cases by a | age group, | race/ethn | icity & gen | der, show | ring Haitia | ns separat | ted (Exclud | ding DOC) | | |
|-----------------------------|------------|-----------|------------|-----------|------------|-------|------------|------------|------------|-----------|-------------|-----------|-------------|------------|-------------|-----------|--------|--------|
| AIDS Cases by | Female | е | Male | | TOTAL A | AIDS | Hispanic/l | Latino | Black | | White | ! | Haitia | n | Other (| 1) | TOTAL | AIDS |
| Age Group & Gender | Cases | Col % | Cases | Col % | Cases | Col % | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male |
| Under 5 | 209 | 2.2% | 196 | 0.7% | 405 | 1.1% | 29 | 29 | 168 | 151 | 5 | 7 | 6 | 8 | 1 | 1 | 209 | 196 |
| 5-12 | 53 | 0.6% | 55 | 0.2% | 108 | 0.3% | 10 | 11 | 33 | 36 | 4 | 2 | 5 | 5 | 1 | 1 | 53 | 55 |
| 13-19 | 171 | 1.8% | 134 | 0.5% | 305 | 0.9% | 20 | 42 | 127 | 83 | 5 | 2 | 15 | 6 | 4 | 1 | 171 | 134 |
| 20-29 | 1,724 | 18.0% | 3,249 | 12.4% | 4,973 | 13.9% | 282 | 1,402 | 1,110 | 1,035 | 76 | 502 | 237 | 262 | 19 | 48 | 1,724 | 3,249 |
| 30-39 | 3,303 | 34.5% | 9,509 | 36.2% | 12,812 | 35.8% | 539 | 4,109 | 2,002 | 2,690 | 164 | 1,669 | 556 | 892 | 42 | 149 | 3,303 | 9,509 |
| 40-49 | 2,472 | 25.8% | 7,860 | 29.9% | 10,332 | 28.8% | 463 | 3,188 | 1,421 | 2,529 | 129 | 1,261 | 417 | 769 | 42 | 113 | 2,472 | 7,860 |
| 50-59 | 1,115 | 11.6% | 3,634 | 13.8% | 4,749 | 13.3% | 243 | 1,468 | 573 | 1,255 | 57 | 480 | 217 | 375 | 25 | 56 | 1,115 | 3,634 |
| 60-64 | 270 | 2.8% | 857 | 3.3% | 1,127 | 3.1% | 68 | 329 | 124 | 320 | 10 | 112 | 63 | 81 | 5 | 15 | 270 | 857 |
| 65-69 | 148 | 1.5% | 431 | 1.6% | 579 | 1.6% | 29 | 152 | 76 | 171 | 5 | 56 | 35 | 43 | 3 | 9 | 148 | 431 |
| >=70 | 113 | 1.2% | 320 | 1.2% | 433 | 1.2% | 34 | 127 | 46 | 117 | 12 | 35 | 17 | 33 | 4 | 8 | 113 | 320 |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total AIDS | 9,578 | 100% | 26,245 | 100% | 35,823 | 100% | 1,717 | 10,857 | 5,680 | 8,387 | 467 | 4,126 | 1,568 | 2,474 | 146 | 401 | 9,578 | 26,245 |

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

| AIDS Cases by | Femal | е | Male | | TOTAL A | AIDS |
|----------------------|-------|-------|-------|-------|---------|-------|
| Year Report & Gender | Cases | Row % | Cases | Row % | Cases | Col % |
| 1981 | 0 | 0.0% | 4 | 100% | 4 | 0.0% |
| 1982 | 7 | 22.6% | 31 | 81.6% | 38 | 0.1% |
| 1983 | 16 | 19.5% | 82 | 83.7% | 98 | 0.3% |
| 1984 | 18 | 13.5% | 133 | 88.1% | 151 | 0.4% |
| 1985 | 29 | 18.0% | 161 | 84.7% | 190 | 0.5% |
| 1986 | 71 | 21.6% | 329 | 82.3% | 400 | 1.1% |
| 1987 | 63 | 15.6% | 405 | 86.5% | 468 | 1.3% |
| 1988 | 109 | 19.7% | 554 | 83.6% | 663 | 1.9% |
| 1989 | 194 | 24.7% | 784 | 80.2% | 978 | 2.7% |
| 1990 | 171 | 23.4% | 730 | 81.0% | 901 | 2.5% |
| 1991 | 362 | 23.6% | 1,537 | 80.9% | 1,899 | 5.3% |
| 1992 | 304 | 25.7% | 1,185 | 79.6% | 1,489 | 4.2% |
| 1993 | 443 | 26.4% | 1,680 | 79.1% | 2,123 | 5.9% |
| 1994 | 748 | 31.0% | 2,415 | 76.4% | 3,163 | 8.8% |
| 1995 | 668 | 38.8% | 1,723 | 72.1% | 2,391 | 6.7% |
| 1996 | 579 | 37.1% | 1,560 | 72.9% | 2,139 | 6.0% |
| 1997 | 432 | 39.5% | 1,093 | 71.7% | 1,525 | 4.3% |
| 1998 | 475 | 46.1% | 1,030 | 68.4% | 1,505 | 4.2% |
| 1999 | 357 | 41.0% | 870 | 70.9% | 1,227 | 3.4% |

| AIDS Cases by | Femal | е | Male | | TOTAL | AIDS |
|----------------------|-------|-------|--------|-------|--------|-------|
| Year & Gender (Cont) | Cases | Row % | Cases | Row % | Cases | Col % |
| 2000 | 378 | 46.3% | 816 | 68.3% | 1,194 | 3.3% |
| 2001 | 372 | 48.7% | 764 | 67.3% | 1,136 | 3.2% |
| 2002 | 324 | 41.0% | 791 | 70.9% | 1,115 | 3.1% |
| 2003 | 304 | 42.8% | 710 | 70.0% | 1,014 | 2.8% |
| 2004 | 410 | 46.0% | 892 | 68.5% | 1,302 | 3.6% |
| 2005 | 392 | 49.6% | 790 | 66.8% | 1,182 | 3.3% |
| 2006 | 396 | 53.8% | 736 | 65.0% | 1,132 | 3.2% |
| 2007 | 275 | 52.9% | 520 | 65.4% | 795 | 2.2% |
| 2008 | 325 | 44.9% | 724 | 69.0% | 1,049 | 2.9% |
| 2009 | 256 | 44.5% | 575 | 69.2% | 831 | 2.3% |
| 2010 | 199 | 43.4% | 458 | 69.7% | 657 | 1.8% |
| 2011 | 236 | 49.6% | 476 | 66.9% | 712 | 2.0% |
| 2012 | 159 | 36.1% | 441 | 73.5% | 600 | 1.7% |
| 2013 | 189 | 39.2% | 482 | 71.8% | 671 | 1.9% |
| 2014 | 145 | 38.4% | 378 | 72.3% | 523 | 1.5% |
| 2015 | 148 | 44.2% | 335 | 69.4% | 483 | 1.3% |
| 2016 | 24 | 47.1% | 51 | 68.0% | 75 | 0.2% |
| Total Adult AIDS | 9,578 | 36.5% | 26,245 | 73.3% | 35,823 | 100% |

Cumulative Number of Reported AIDS Cases

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

| | | | Adult AID | S | | | | | Pediatr | ic AIDS | | | | | TOTAL AI | DS CASE | S | |
|----------------------------------|--------|-------|-----------|-------|----------|-------|--------|-------|---------|---------|-----------|--------|-----------|-------|----------|---------|----------|-------|
| AIDS by Race/ | Female | е | Male | | Total Ad | ult | Female | е | Male | | Total Ped | iatric | Total Fer | male | Total Ma | ale | Total Ca | ises |
| Ethnicity * | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 1,694 | 18.2% | 10,844 | 41.7% | 12,538 | 35.5% | 39 | 14.9% | 40 | 15.9% | 79 | 15.4% | 1,733 | 18.1% | 10,884 | 41.5% | 12,617 | 35.2% |
| American Indian/Alaska Native | 1 | 0.0% | 2 | 0.0% | 3 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 2 | 0.0% | 3 | 0.0% |
| Asian | 2 | 0.0% | 21 | 0.1% | 23 | 0.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.0% | 21 | 0.1% | 23 | 0.1% |
| Black or African American | 7,000 | 75.1% | 10,609 | 40.8% | 17,609 | 49.9% | 212 | 80.9% | 200 | 79.7% | 412 | 80.3% | 7,212 | 75.3% | 10,809 | 41.2% | 18,021 | 50.3% |
| Native Hawaiian/Pacific Islander | 1 | 0.0% | 1 | 0.0% | 2 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 1 | 0.0% | 2 | 0.0% |
| White | 458 | 4.9% | 4,121 | 15.9% | 4,579 | 13.0% | 9 | 3.4% | 9 | 3.6% | 18 | 3.5% | 467 | 4.9% | 4,130 | 15.7% | 4,597 | 12.8% |
| Legacy Asian | 2 | 0.0% | 12 | 0.0% | 14 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.0% | 12 | 0.0% | 14 | 0.0% |
| Multi-Race | 158 | 1.7% | 384 | 1.5% | 542 | 1.5% | 2 | 0.8% | 2 | 0.8% | 4 | 0.8% | 160 | 1.7% | 386 | 1.5% | 546 | 1.5% |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total AIDS | 9,316 | 100% | 25,994 | 100% | 35,310 | 100% | 262 | 100% | 251 | 100% | 513 | 100% | 9,578 | 100% | 26,245 | 100% | 35,823 | 100% |

^{*} This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

| | | | Adult AID | S | _ | |
|---|--------|-------|-----------|-------|----------|-------|
| | Female | е | Male | | Total Ad | ult |
| Exposure Category among adult AIDS | Cases | Col % | Cases | Col % | Cases | Col % |
| Adult male-to-male sexual contact [MSM] | | | 14,483 | 55.7% | 14,483 | 41.0% |
| Adult injection drug use [IDU] | 2,055 | 22.1% | 3,198 | 12.3% | 5,253 | 14.9% |
| Adult MSM & IDU | 0 | | 1,396 | 5.4% | 1,396 | 4.0% |
| Adult heterosexual contact [HTRSX] | 6,216 | 66.7% | 4,121 | 15.9% | 10,337 | 29.3% |
| Adult other risk* | 168 | 1.8% | 192 | 0.7% | 360 | 1.0% |
| Adult no risk factor reported [NRR] | 877 | 9.4% | 2,604 | 10.0% | 3,481 | 9.9% |
| Total adult AIDS | 9,316 | 100% | 25,994 | 100% | 35,310 | 100% |

^{*} Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

| | | | Pediatric | AIDS | | |
|--|-------|-------|-----------|-------|------------|--------|
| | Femal | е | Male | | Total Pedi | iatric |
| Exposure Category among Pediatric AIDS | Cases | Col % | Cases | Col % | Cases | Col % |
| Perinatal exposure [PERINATAL] | 259 | 98.9% | 243 | 96.8% | 502 | 97.9% |
| Child receiving clotting factor [HEMOPH] | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Child receiving transfusion/transplant | 2 | 0.8% | 5 | 2.0% | 7 | 1.4% |
| Child other risk confirmed [OTHER] | 0 | 0.0% | 1 | 0.4% | 1 | 0.2% |
| Child no risk factor reported [NRR] | 1 | 0.4% | 2 | 0.8% | 3 | 0.6% |
| Total Pediatric AIDS | 262 | 100% | 251 | 100% | 513 | 100% |

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance

Cumulative Number of Reported AIDS Cases

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

| ADULT FEMALE AIDS CASES | | | | | | | | | | | | | | |
|----------------------------------|----------|-------|---------|---------|-------|-------|---------|--------|-------|-----------|---------|-------|---------|-------|
| | MALE-TO- | MALE | INJECT | TION | MSM & | IDU | HETEROS | SEXUAL | OTHER | (* | NO REPO | RTED | TOTAL A | DULT |
| Exposure Category/ | | | DRUG US | E [IDU] | | | CONTA | CT | RISK | | RISK [N | IRR] | FEMAL | .E |
| Race/Ethnicity | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | | | 245 | 11.9% | | | 1,291 | 20.8% | 32 | 19.0% | 126 | 14.4% | 1,694 | 18.2% |
| American Indian/Alaska Native | | | 0 | 0.0% | | | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% |
| Asian | | | 0 | 0.0% | | | 2 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.0% |
| Black or African American | | | 1,561 | 76.0% | | | 4,615 | 74.2% | 117 | 69.6% | 707 | 80.6% | 7,000 | 75.1% |
| Native Hawaiian/Pacific Islander | | | 0 | 0.0% | | | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% |
| White | | | 205 | 10.0% | | | 205 | 3.3% | 14 | 8.3% | 34 | 3.9% | 458 | 4.9% |
| Legacy Asian | | | 0 | 0.0% | | | 2 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.0% |
| Multi-Race | | | 44 | 2.1% | | | 99 | 1.6% | 5 | 3.0% | 10 | 1.1% | 158 | 1.7% |
| Adult Female AIDS | | | 2,055 | 100% | | | 6,216 | 100% | 168 | 100% | 877 | 100% | 9,316 | 100% |

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

| ADULT MALE AIDS CASES | | | | | | | | | | | | | | |
|----------------------------------|-----------|--------|---------|---------|-------|-------|---------|-------|-------|-------|---------|-------|---------|-------|
| | MALE-TO- | MALE | INJECT | ION | MSM & | IDU | HETEROS | EXUAL | OTHER | * | NO REPO | RTED | TOTAL A | DULT |
| Exposure Category/ | SEXUAL CO | ONTACT | DRUG US | E [IDU] | | | CONTA | СТ | RISK | | RISK [N | IRR] | MALE | |
| Race/Ethnicity | Cases | Col % | Cases | Col % | Cases | Col % | 1010 | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 7,909 | 54.6% | 712 | 22.3% | 500 | 35.8% | 1,037 | 25.2% | 61 | 31.8% | 625 | 24.0% | 10,844 | 41.7% |
| American Indian/Alaska Native | 0 | 0.0% | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 2 | 0.0% |
| Asian | 14 | 0.1% | 0 | 0.0% | 0 | 0.0% | 4 | 0.1% | 0 | 0.0% | 3 | 0.1% | 21 | 0.1% |
| Black or African American | 3,020 | 20.9% | 2,199 | 68.8% | 599 | 42.9% | 2,911 | 70.6% | 82 | 42.7% | 1,798 | 69.0% | 10,609 | 40.8% |
| Native Hawaiian/Pacific Islander | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 1 | 0.0% |
| White | 3,315 | 22.9% | 238 | 7.4% | 271 | 19.4% | 102 | 2.5% | 45 | 5.0% | 150 | 5.8% | 4,121 | 15.9% |
| Legacy Asian | 7 | 0.0% | 0 | 0.0% | 0 | 0.0% | 4 | 0.1% | 0 | 0.0% | 1 | 0.0% | 12 | 0.0% |
| Multi-Race | 218 | 1.5% | 48 | 1.5% | 26 | 1.9% | 63 | 1.5% | 4 | 2.1% | 25 | 1.0% | 384 | 1.5% |
| Adult Male AIDS | 14,483 | 100% | 3,198 | 100% | 1,396 | 100% | 4,121 | 100% | 192 | 82% | 2,604 | 100% | 25,994 | 100% |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
| TOTAL ADULT AIDS | 14,483 | 41.0% | 5,253 | 14.9% | 1,396 | 4.0% | 10,337 | 29.3% | 360 | 1.0% | 3,481 | 9.9% | 35,310 | 100% |

FEBRUARY 2016

Cumulative Number of Reported AIDS Cases

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

| Exposure Category/ | PERINA | ΓAL | НЕМОРНІ | LIAC | TRANSFU | ISION | OTHER R | ISK | NO REPO | RTED | TOTAL FE | MALE |
|-----------------------------|--------|-------|---------|---------|---------|-------|---------|---------|---------|--------|----------|-------|
| Race/Ethnicity | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 37 | 14.3% | 0 | #DIV/0! | 1 | 50.0% | 0 | #DIV/0! | 1 | 100.0% | 39 | 14.9% |
| Black or African American | 211 | 81.5% | 0 | #DIV/0! | 1 | 50.0% | 0 | #DIV/0! | 0 | 0.0% | 212 | 80.9% |
| White | 9 | 3.5% | 0 | #DIV/0! | 0 | 0.0% | 0 | #DIV/0! | 0 | 0.0% | 9 | 3.4% |
| Multi-Race | 2 | 0.8% | 0 | #DIV/0! | 0 | 0.0% | 0 | #DIV/0! | 0 | 0.0% | 2 | 0.8% |
| Pediatric Female AIDS | 259 | 100% | 0 | #DIV/0! | 2 | 100% | 0 | #DIV/0! | 1 | 100% | 262 | 100% |

| Exposure Category/ | PERINA | ΓAL | HEMOPH | LIAC | TRANSFU | ISION | OTHER R | ISK | NO REPO | RTED | TOTAL MA | ALE |
|-----------------------------|--------|-------|--------|---------|---------|-------|---------|--------|---------|-------|----------|-------|
| Race/Ethnicity | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 35 | 14.4% | 0 | #DIV/0! | 4 | 80.0% | 0 | 0.0% | 1 | 50.0% | 40 | 15.9% |
| Black or African American | 197 | 81.1% | 0 | #DIV/0! | 1 | 20.0% | 1 | 100.0% | 1 | 50.0% | 200 | 79.7% |
| White | 9 | 3.7% | 0 | #DIV/0! | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 9 | 3.6% |
| Multi-Race | 2 | 0.8% | 0 | #DIV/0! | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.8% |
| Pediatric Male AIDS | 243 | 100% | 0 | #DIV/0! | 5 | 100% | 1 | 100% | 2 | 100% | 251 | 100% |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
| TOTAL PEDIATRIC AIDS | 502 | 97.9% | 0 | 0.0% | 7 | 1.4% | 1 | 0.2% | 3 | 0.6% | 513 | 100% |

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

| Country | ADUL | T FEMALE | AIDS | ADU | LT MALE | AIDS | TOTAL HIS | PANIC/LAT | INO |
|-----------------------------|-------|----------|-------|--------|---------|-------|-----------|-----------|-------|
| of Origin | Cases | Col % | Row % | Cases | Col % | Row % | Cases | Col % | Row % |
| Argentina | 24 | 1.4% | 13.0% | 161 | 1.5% | 87.0% | 185 | 1.5% | 100% |
| Colombia | 73 | 4.3% | 12.6% | 505 | 4.7% | 87.4% | 578 | 4.6% | 100% |
| Cuba | 403 | 23.8% | 7.7% | 4,812 | 44.4% | 92.3% | 5,215 | 41.6% | 100% |
| Dominican Republic | 74 | 4.4% | 32.5% | 154 | 1.4% | 67.5% | 228 | 1.8% | 100% |
| Guatemala | 20 | 1.2% | 16.4% | 102 | 0.9% | 83.6% | 122 | 1.0% | 100% |
| Honduras | 138 | 8.1% | 29.4% | 331 | 3.1% | 70.6% | 469 | 3.7% | 100% |
| Mexico | 21 | 1.2% | 8.0% | 240 | 2.2% | 92.0% | 261 | 2.1% | 100% |
| Nicaragua | 82 | 4.8% | 18.3% | 365 | 3.4% | 81.7% | 447 | 3.6% | 100% |
| Peru | 26 | 1.5% | 13.3% | 170 | 1.6% | 86.7% | 196 | 1.6% | 100% |
| Puerto Rico | 189 | 11.2% | 17.6% | 882 | 8.1% | 82.4% | 1,071 | 8.5% | 100% |
| United States | 390 | 23.0% | 20.5% | 1,513 | 14.0% | 79.5% | 1,903 | 15.2% | 100% |
| Venezuela | 17 | 1.0% | 6.1% | 261 | 2.4% | 93.9% | 278 | 2.2% | 100% |
| Other/Unknown Countries | 237 | 14.0% | 15.0% | 1,348 | 12.4% | 85.0% | 1,585 | 12.6% | 100% |
| Total Adult Hispanic/Latino | 1,694 | 100% | 13.5% | 10,844 | 100% | 86.5% | 12,538 | 100% | 100% |

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

FEBRUARY 2016

Cumulative Number of Reported AIDS Cases

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

| ADULT HISPANIC/LATINO FE | MALE AIDS | CASES | | | | | | | | | | | | | |
|----------------------------------|-----------|--------|---------|---------|--------|-------|---------|--------|-------|------------|---------|-------|-----------|-------------|----------|
| | MALE-TO-I | MALE | INJEC | TION | MSM & | IDU | HETEROS | SEXUAL | OTHER | ? * | NO REPO | RTED | Total His | panic/Latin | o Female |
| Country of Origin | SEXUAL C | ONTACT | DRUG US | E [IDU] | | | CONTA | CT | RISK | | RISK [N | IRR] | by C | ountry of O | rigin |
| | Cases | Row % | Cases | Row % | Number | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| Argentina | | | 3 | 12.5% | | | 20 | 83.3% | 0 | 0.0% | 1 | 4.2% | 24 | 1.4% | 100% |
| Colombia | | | 7 | 9.6% | | | 54 | 74.0% | 2 | 2.7% | 10 | 13.7% | 73 | 4.3% | 100% |
| Cuba | | | 55 | 13.6% | | | 299 | 74.2% | 8 | 2.0% | 41 | 10.2% | 403 | 23.8% | 100% |
| Dominican Republic | | | 3 | 4.1% | | | 64 | 86.5% | 0 | 0.0% | 7 | 9.5% | 74 | 4.4% | 100% |
| Guatemala | | | 0 | 0.0% | | | 20 | 100.0% | 0 | 0.0% | 0 | 0.0% | 20 | 1.2% | 100% |
| Honduras | | | 8 | 5.8% | | | 121 | 87.7% | 1 | 0.7% | 8 | 5.8% | 138 | 8.1% | 100% |
| Mexico | | | 3 | 14.3% | | | 16 | 76.2% | 1 | 4.8% | 1 | 4.8% | 21 | 1.2% | 100% |
| Nicaragua | | | 4 | 4.9% | | | 67 | 81.7% | 1 | 1.2% | 10 | 12.2% | 82 | 4.8% | 100% |
| Peru | | | 1 | 3.8% | | | 25 | 96.2% | 0 | 0.0% | 0 | 0.0% | 26 | 1.5% | 100% |
| Puerto Rico | | | 50 | 26.5% | | | 126 | 66.7% | 3 | 1.6% | 10 | 5.3% | 189 | 11.2% | 100% |
| United States | | | 83 | 21.3% | | | 274 | 70.3% | 14 | 3.6% | 19 | 4.9% | 390 | 23.0% | 100% |
| Venezuela | | | 3 | 17.6% | | | 13 | 76.5% | 0 | 0.0% | 1 | 5.9% | 17 | 1.0% | 100% |
| Other/Unknown Countries | | | 25 | 10.5% | | | 192 | 81.0% | 2 | 0.8% | 18 | 7.6% | 237 | 14.0% | 100% |
| Total adult Hispanic/Latino Fema | le | | 245 | 14.5% | | | 1,291 | 76.2% | 32 | 1.9% | 126 | 7.4% | 1,694 | 100% | 100% |

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

| Country of Origin | MALE-TO-N SEXUAL CO | | INJECT DRUG US | | MSM & | IDU | HETEROS CONTA | | OTHER RISK | | NO REPO RISK [N | | | spanic/Lati ountry of O | |
|----------------------------------|------------------------|-------|-------------------|-------|-------|-------|------------------|-------|---------------|-------|--------------------|-------|--------|----------------------------|-------|
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| Argentina | 134 | 83.2% | 4 | 2.5% | 7 | 4.3% | 13 | 8.1% | 0 | 0.0% | 3 | 1.9% | 161 | 1.5% | 100% |
| Colombia | 410 | 81.2% | 15 | 3.0% | 18 | 3.6% | 39 | 7.7% | 3 | 0.6% | 20 | 4.0% | 505 | 4.7% | 100% |
| Cuba | 3,715 | 77.2% | 211 | 4.4% | 192 | 4.0% | 393 | 8.2% | 26 | 0.5% | 275 | 5.7% | 4,812 | 44.4% | 100% |
| Dominican Republic | 83 | 53.9% | 8 | 5.2% | 5 | 3.2% | 42 | 27.3% | 1 | 0.6% | 15 | 9.7% | 154 | 1.4% | 100% |
| Guatemala | 54 | 52.9% | 5 | 4.9% | 2 | 2.0% | 29 | 28.4% | 0 | 0.0% | 12 | 11.8% | 102 | 0.9% | 100% |
| Honduras | 213 | 64.4% | 18 | 5.4% | 6 | 1.8% | 68 | 20.5% | 4 | 1.2% | 22 | 6.6% | 331 | 3.1% | 100% |
| Mexico | 162 | 67.5% | 11 | 4.6% | 7 | 2.9% | 40 | 16.7% | 0 | 0.0% | 20 | 8.3% | 240 | 2.2% | 100% |
| Nicaragua | 266 | 72.9% | 10 | 2.7% | 13 | 3.6% | 53 | 14.5% | 1 | 0.3% | 22 | 6.0% | 365 | 3.4% | 100% |
| Peru | 137 | 80.6% | 2 | 1.2% | 2 | 1.2% | 18 | 10.6% | 0 | 0.0% | 11 | 6.5% | 170 | 1.6% | 100% |
| Puerto Rico | 439 | 49.8% | 217 | 24.6% | 102 | 11.6% | 70 | 7.9% | 3 | 0.3% | 51 | 5.8% | 882 | 8.1% | 100% |
| United States | 1,037 | 68.5% | 158 | 10.4% | 112 | 7.4% | 130 | 8.6% | 14 | 0.9% | 62 | 4.1% | 1,513 | 14.0% | 100% |
| Venezuela | 230 | 88.1% | 3 | 1.1% | 2 | 0.8% | 18 | 6.9% | 0 | 0.0% | 8 | 3.1% | 261 | 2.4% | 100% |
| Other/Unknown Countries | 1,029 | 76.3% | 50 | 3.7% | 32 | 2.4% | 124 | 9.2% | 9 | 0.7% | 104 | 7.7% | 1,348 | 12.4% | 100% |
| Total adult Hispanic/Latino Male | 7,909 | 72.9% | 712 | 6.6% | 500 | 4.6% | 1,037 | 9.6% | 61 | 0.6% | 625 | 5.8% | 10,844 | 100% | 100% |

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Cumulative Number of Reported AIDS Cases

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

| ADULT HAITIAN BORN AIDS | DULT HAITIAN BORN AIDS CASES | | | | | | | | | | | | | |
|-----------------------------|------------------------------|-------|-------------------------------|-------|-------|-------|------------------|-------|---------------|-------|--------------------|-------|----------|-------|
| Exposure Category GENDER | MALE-TO-I | | INJEC [*] DRUG US | | MSM & | IDU | HETEROS CONTA | | OTHER RISK | * | NO REPO RISK [N | | Total Ha | |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
| Haitian born Adult Females | | | 56 | 3.6% | | | 1,168 | 75.0% | 26 | 1.7% | 307 | 19.7% | 1,557 | 100% |
| Haitian born Adult Males | 543 | 22.1% | 77 | 3.1% | 27 | 1.1% | 907 | 36.9% | 12 | 0.5% | 895 | 36.4% | 2,461 | 100% |
| Total Haitian born | 543 | 13.5% | 133 | 3.3% | 27 | 0.7% | 2,075 | 51.6% | 38 | 0.9% | 1,202 | 29.9% | 4,018 | 100% |

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

| | | | | | - J | |
|-----------------------------|-------|-------|-----------|-------|-------|-------|
| | | DOC A | AIDS Case | s | | |
| AIDS Cases by | Femal | е | Male | | Total | |
| Race/Ethnicity & Gender | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 0 | 0.0% | 93 | 13.8% | 93 | 13.3% |
| Black or African American | 21 | 77.8% | 479 | 71.1% | 500 | 71.3% |
| White | 4 | 14.8% | 70 | 10.4% | 74 | 10.6% |
| Haitian | 1 | 3.7% | 19 | 2.8% | 20 | 2.9% |
| Other (1) | 1 | 3.7% | 13 | 1.9% | 14 | 2.0% |
| Total AIDS | 27 | 100% | 674 | 100% | 701 | 100% |

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

AIDS / 2016-02.xlsx 9 of 24

FEBRUARY 2016

Cumulative Number of Reported HIV (Not AIDS) Cases

| HIV (not AIDS) cases by age gi | roup and g | ender (Ex | cluding De | partment | of Correcti | ion - DOC | HIV (not A | IDS) Case | es by age g | group, rac | e/ethnicity | & gender | showing | Haitians s | eparated (l | Excluding | DOC) | |
|--------------------------------|------------|-----------|------------|----------|-------------|-----------|------------|-----------|-------------|------------|-------------|----------|---------|------------|-------------|-----------|---------|--------|
| HIV Cases by | Female | 9 | Male | | TOTAL I | HIV | Hispanic/I | Latino | Black | | White | 1 | Haitia | n | Other (| 1) | TOTAL I | IIV |
| Age Group & Gender | Cases | Col % | Cases | Col % | Cases | Col % | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male |
| Under 5 | 62 | 1.6% | 47 | 0.4% | 109 | 0.7% | 13 | 8 | 47 | 36 | 1 | 0 | 1 | 2 | 0 | 1 | 62 | 47 |
| 5-12 | 36 | 0.9% | 19 | 0.2% | 55 | 0.4% | 6 | 5 | 24 | 11 | 0 | 0 | 6 | 3 | 0 | 0 | 36 | 19 |
| 13-19 | 225 | 5.6% | 304 | 2.6% | 529 | 3.4% | 44 | 127 | 166 | 155 | 6 | 9 | 8 | 10 | 1 | 3 | 225 | 304 |
| 20-29 | 963 | 24.1% | 2,810 | 24.4% | 3,773 | 24.3% | 219 | 1,527 | 580 | 829 | 51 | 329 | 102 | 82 | 11 | 43 | 963 | 2,810 |
| 30-39 | 1,078 | 27.0% | 3,605 | 31.3% | 4,683 | 30.2% | 255 | 2,058 | 552 | 724 | 75 | 627 | 186 | 154 | 10 | 42 | 1,078 | 3,605 |
| 40-49 | 921 | 23.0% | 2,871 | 25.0% | 3,792 | 24.5% | 229 | 1,494 | 479 | 671 | 60 | 502 | 138 | 166 | 15 | 38 | 921 | 2,871 |
| 50-59 | 512 | 12.8% | 1,280 | 11.1% | 1,792 | 11.6% | 140 | 529 | 247 | 411 | 19 | 221 | 100 | 100 | 6 | 19 | 512 | 1,280 |
| 60-64 | 93 | 2.3% | 274 | 2.4% | 367 | 2.4% | 25 | 104 | 39 | 91 | 3 | 47 | 26 | 26 | 0 | 6 | 93 | 274 |
| 65-69 | 74 | 1.9% | 163 | 1.4% | 237 | 1.5% | 24 | 68 | 33 | 59 | 4 | 22 | 12 | 14 | 1 | 0 | 74 | 163 |
| >=70 | 36 | 0.9% | 129 | 1.1% | 165 | 1.1% | 6 | 46 | 11 | 52 | 4 | 15 | 14 | 12 | 1 | 4 | 36 | 129 |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total HIV | 4,000 | 100% | 11,502 | 100% | 15,502 | 100% | 961 | 5,966 | 2,178 | 3,039 | 223 | 1,772 | 593 | 569 | 45 | 156 | 4,000 | 11,502 |

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

| THY (NOT AIDO) Guses by year t | or report a | g | 1-11010101111 | ,, | · • • • • • • • • • • • • • • • • • • • | · · · · · · · · · · · · · · · · · · · |
|--------------------------------|-------------|-------|---------------|-------|---|---------------------------------------|
| HIV Cases by | Femal | е | Male | | TOTAL I | ΗIV |
| Year Report & Gender | Cases | Row % | Cases | Row % | Cases | Col % |
| July-December 1997 | 121 | 36.6% | 210 | 63.4% | 331 | 2.1% |
| 1998 | 268 | 30.8% | 602 | 69.2% | 870 | 5.6% |
| 1999 | 258 | 31.1% | 571 | 68.9% | 829 | 5.3% |
| 2000 | 234 | 31.1% | 518 | 68.9% | 752 | 4.9% |
| 2001 | 239 | 30.2% | 552 | 69.8% | 791 | 5.1% |
| 2002 | 287 | 30.4% | 656 | 69.6% | 943 | 6.1% |
| 2003 | 232 | 27.9% | 601 | 72.1% | 833 | 5.4% |
| 2004 | 227 | 27.5% | 598 | 72.5% | 825 | 5.3% |
| 2005 | 222 | 31.1% | 491 | 68.9% | 713 | 4.6% |
| 2006 | 180 | 28.1% | 460 | 71.9% | 640 | 4.1% |
| 2007 | 222 | 26.8% | 605 | 73.2% | 827 | 5.3% |
| 2008 | 230 | 25.1% | 685 | 74.9% | 915 | 5.9% |
| 2009 | 179 | 24.3% | 558 | 75.7% | 737 | 4.8% |
| 2010 | 171 | 23.1% | 570 | 76.9% | 741 | 4.8% |
| 2011 | 178 | 22.0% | 631 | 78.0% | 809 | 5.2% |
| 2012 | 158 | 21.9% | 562 | 78.1% | 720 | 4.6% |

| HIV Cases by | Femal | е | Male | | TOTAL I | HIV |
|----------------------|-------|-------|--------|-------|---------|-------|
| Year Report & Gender | Cases | Row % | Cases | Row % | Cases | Col % |
| 2013 | 194 | 22.0% | 687 | 78.0% | 881 | 5.7% |
| 2014 | 160 | 16.9% | 787 | 83.1% | 947 | 6.1% |
| 2015 | 197 | 17.0% | 963 | 83.0% | 1,160 | 7.5% |
| 2016 | 43 | 18.1% | 195 | 81.9% | 238 | 1.5% |
| Total HIV | 4,000 | 25.8% | 11,502 | 74.2% | 15,502 | 100% |

Cumulative Number of Reported HIV (Not AIDS) Cases

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

| | | | Adult HIV | | _ | | | | Pediati | ric HIV | _ | | | | TOTAL HI | V CASES | _ | |
|----------------------------------|--------|-------|-----------|-------|----------|-------|--------|-------|---------|---------|-----------|--------|----------|-------|----------|---------|----------|-------|
| HIV by Race/ | Female | е | Male | | Total Ad | lult | Female | е | Male | | Total Ped | iatric | Total Fe | male | Total Ma | ale | Total Ca | ses |
| Ethnicity * | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 946 | 24.2% | 5,958 | 52.1% | 6,904 | 45.0% | 19 | 19.4% | 13 | 19.7% | 32 | 19.5% | 965 | 24.1% | 5,971 | 51.9% | 6,936 | 44.7% |
| American Indian/Alaska Native | 2 | 0.1% | 5 | 0.0% | 7 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.1% | 5 | 0.0% | 7 | 0.0% |
| Asian | 4 | 0.1% | 30 | 0.3% | 34 | 0.2% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 4 | 0.1% | 30 | 0.3% | 34 | 0.2% |
| Black or African American | 2,687 | 68.9% | 3,546 | 31.0% | 6,233 | 40.6% | 77 | 78.6% | 52 | 78.8% | 129 | 78.7% | 2,764 | 69.1% | 3,598 | 31.3% | 6,362 | 41.0% |
| Native Hawaiian/Pacific Islander | 1 | 0.0% | 5 | 0.0% | 6 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 5 | 0.0% | 6 | 0.0% |
| White | 223 | 5.7% | 1,773 | 15.5% | 1,996 | 13.0% | 1 | 1.0% | 0 | 0.0% | 1 | 0.6% | 224 | 5.6% | 1,773 | 15.4% | 1,997 | 12.9% |
| Legacy Asian | 1 | 0.0% | 6 | 0.1% | 7 | 0.0% | 0 | 0.0% | 1 | 1.5% | 1 | 0.6% | 1 | 0.0% | 7 | 0.1% | 8 | 0.1% |
| Multi-Race | 38 | 1.0% | 113 | 1.0% | 151 | 1.0% | 1 | 1.0% | 0 | 0.0% | 1 | 0.6% | 39 | 1.0% | 113 | 1.0% | 152 | 1.0% |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total HIV | 3,902 | 100% | 11,436 | 100% | 15,338 | 100% | 98 | 100% | 66 | 100% | 164 | 100% | 4,000 | 100% | 11,502 | 100% | 15,502 | 100% |

^{*} This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

| | | | Adult HIV | | | |
|---|-------|-------|-----------|-------|----------|-------|
| | Femal | е | Male | | Total Ad | ult |
| Exposure Category among adult HIV cases | Cases | Col % | Cases | Col % | Cases | Col % |
| Adult male-to-male sexual contact [MSM] | | | 7,889 | 69.0% | 7,889 | 51.4% |
| Adult injection drug use [IDU] | 276 | 7.1% | 331 | 2.9% | 607 | 4.0% |
| Adult MSM & IDU | | | 250 | 2.2% | 250 | 1.6% |
| Adult heterosexual contact [HTRSX] | 3,067 | 78.6% | 1,733 | 15.2% | 4,800 | 31.3% |
| Adult other risk* | 7 | 0.2% | 5 | 0.0% | 12 | 0.1% |
| Adult no risk factor reported [NRR] | 552 | 14.1% | 1,228 | 10.7% | 1,780 | 11.6% |
| Total adult HIV | 3,902 | 100% | 11,436 | 100% | 15,338 | 100% |

^{*} Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

| | | | Pediatric | HIV | | |
|---|-------|-------|-----------|-------|-----------|--------|
| | Femal | е | Male | | Total Ped | iatric |
| Exposure Category among Pediatric HIV cases | Cases | Col % | Cases | Col % | Cases | Col % |
| Perinatal exposure [PERINATAL] | 95 | 96.9% | 65 | 98.5% | 160 | 97.6% |
| Child receiving clotting factor [HEMOPH] | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Child receiving transfusion/transplant | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Child other risk confirmed [OTHER] | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Child no risk factor reported [NRR] | 3 | 3.1% | 1 | 1.5% | 4 | 2.4% |
| Total Pediatric HIV | 98 | 100% | 66 | 100% | 164 | 100% |

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance

Cumulative Number of Reported HIV (Not AIDS) Cases

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

| ADULT FEMALE HIV CASES | | | | | | | | | | | | | | |
|----------------------------------|-----------------------|-------|-------------------|-------|-------|-------|------------------|-------|---------------|-------|---------|-------|---------|-------|
| Exposure Category/ | MALE-TO- SEXUAL CO | | INJECT DRUG US | | MSM & | IDU | HETEROS CONTA | | OTHER RISK | | NO REPO | | TOTAL A | |
| Race/Ethnicity | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | | | 66 | 23.9% | | | 713 | 23.2% | 3 | 42.9% | 164 | 29.7% | 946 | 24.2% |
| American Indian/Alaska Native | | | 0 | 0.0% | | | 2 | 0.1% | 0 | 0.0% | 0 | 0.0% | 2 | 0.1% |
| Asian | | | 0 | 0.0% | | | 3 | 0.1% | 0 | 0.0% | 1 | 0.2% | 4 | 0.1% |
| Black or African American | | | 161 | 58.3% | | | 2,177 | 71.0% | 2 | 28.6% | 347 | 62.9% | 2,687 | 68.9% |
| Native Hawaiian/Pacific Islander | | | 0 | 0.0% | | | 0 | 0.0% | 0 | 0.0% | 1 | 0.2% | 1 | 0.0% |
| White | | | 42 | 15.2% | | | 145 | 4.7% | 1 | 14.3% | 35 | 6.3% | 223 | 5.7% |
| Legacy Asian | | | 0 | 0.0% | | | 0 | 0.0% | 0 | 0.0% | 1 | 0.2% | 1 | 0.0% |
| Multi-Race | | | 7 | 2.5% | | | 27 | 0.9% | 1 | 14.3% | 3 | 0.5% | 38 | 1.0% |
| Adult Female HIV | | | 276 | 100% | | | 3,067 | 100% | 7 | 100% | 552 | 100% | 3,902 | 100% |

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

| | MALE-TO- | MALE | INJECT | TION | MSM & I | DU | HETEROS | SEXUAL | OTHER | * | NO REPO | RTED | TOTAL A | DULT |
|----------------------------------|-----------|--------|---------|---------|---------|-------|---------|--------|-------|-------|---------|-------|---------|-------|
| Exposure Category/ | SEXUAL CO | ONTACT | DRUG US | E [IDU] | | | CONTA | СТ | RISK | | RISK [N | IRR] | MALE | Ē |
| Race/Ethnicity | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 4,775 | 60.5% | 101 | 30.5% | 120 | 48.0% | 495 | 28.6% | 0 | 0.0% | 467 | 38.0% | 5,958 | 52.1% |
| American Indian/Alaska Native | 4 | 0.1% | 0 | 0.0% | 0 | 0.0% | 1 | 0.1% | 0 | 0.0% | 0 | 0.0% | 5 | 0.0% |
| Asian | 24 | 0.3% | 0 | 0.0% | 1 | 0.4% | 1 | 0.1% | 0 | 0.0% | 4 | 0.3% | 30 | 0.3% |
| Black or African American | 1,491 | 18.9% | 189 | 57.1% | 74 | 29.6% | 1,148 | 66.2% | 3 | 60.0% | 641 | 52.2% | 3,546 | 31.0% |
| Native Hawaiian/Pacific Islander | 4 | 0.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.1% | 5 | 0.0% |
| White | 1,511 | 19.2% | 38 | 11.5% | 50 | 20.0% | 65 | 3.8% | 2 | 40.0% | 107 | 8.7% | 1,773 | 15.5% |
| Legacy Asian | 5 | 0.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.1% | 6 | 0.1% |
| Multi-Race | 75 | 1.0% | 3 | 0.9% | 5 | 2.0% | 23 | 1.3% | 0 | 0.0% | 7 | 0.6% | 113 | 1.0% |
| Adult Male HIV | 7,889 | 100% | 331 | 100% | 250 | 100% | 1,733 | 100% | 5 | 100% | 1,228 | 100% | 11,436 | 100% |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
| TOTAL ADULT HIV | 7,889 | 51.4% | 607 | 4.0% | 250 | 1.6% | 4,800 | 31.3% | 12 | 0.1% | 1,780 | 11.6% | 15,338 | 100% |

FEBRUARY 2016

Cumulative Number of Reported HIV (Not AIDS) Cases

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

| PEDIATRIC FEMALE HIV CASES | | | | | | | | | | | | | |
|-----------------------------|---------|-------|--------|---------|---------|---------|---------|---------|---------|-------|----------|-------|--|
| Exposure Category/ | PERINAT | ΓAL | HEMOPH | LIAC | TRANSFL | JSION | OTHER R | ISK | NO REPO | RTED | TOTAL FE | MALE | |
| Race/Ethnicity | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | |
| Hispanic/Latino (All Races) | 17 | 17.9% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 2 | 66.7% | 19 | 19.4% | |
| Black or African American | 76 | 80.0% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 1 | 33.3% | 77 | 78.6% | |
| White | 1 | 1.1% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 1 | 1.0% | |
| Legacy Asian/Pacific Isl. | 0 | 0.0% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 0 | 0.0% | |
| Multi-Race | 1 | 1.1% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 1 | 1.0% | |
| Pediatric Female HIV | 95 | 100% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 3 | 100% | 98 | 100% | |

| Exposure Category/ | PERINA | TAL | HEMOPHI | ILIAC | TRANSFL | JSION | OTHER R | ISK | NO REPO | RTED | TOTAL MA | ALE |
|-----------------------------|--------|-------|---------|---------|---------|---------|---------|---------|---------|--------|----------|-------|
| Race/Ethnicity | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 13 | 20.0% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 13 | 19.7% |
| Black or African American | 51 | 78.5% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 1 | 100.0% | 52 | 78.8% |
| White | 0 | 0.0% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 0 | 0.0% |
| Legacy Asian/Pacific Isl. | 1 | 1.5% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 1 | 1.5% |
| Multi-Race | 0 | 0.0% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 0 | 0.0% |
| Pediatric Male HIV | 65 | 100% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 1 | 100% | 66 | 100% |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
| TOTAL PEDIATRIC HIV | 160 | 97.6% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 4 | 2.4% | 164 | 100% |

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

| Country | ADUI | T FEMAL | E HIV | ADU | JLT MALE | HIV | TOTAL HIS | PANIC/LATI | NO |
|---------------------------------|-------|---------|-------|-------|----------|-------|-----------|------------|-------|
| of Origin | Cases | Col % | Row % | Cases | Col % | Row % | Cases | Col % | Row % |
| Argentina | 21 | 2.2% | 12.5% | 147 | 2.5% | 87.5% | 168 | 2.4% | 100% |
| Colombia | 35 | 3.7% | 11.3% | 275 | 4.6% | 88.7% | 310 | 4.5% | 100% |
| Cuba | 165 | 17.4% | 8.0% | 1,903 | 31.9% | 92.0% | 2,068 | 30.0% | 100% |
| Dominican Republic | 36 | 3.8% | 30.3% | 83 | 1.4% | 69.7% | 119 | 1.7% | 100% |
| Honduras | 67 | 7.1% | 30.0% | 156 | 2.6% | 70.0% | 223 | 3.2% | 100% |
| Mexico | 9 | 1.0% | 6.0% | 140 | 2.3% | 94.0% | 149 | 2.2% | 100% |
| Nicaragua | 35 | 3.7% | 19.3% | 146 | 2.5% | 80.7% | 181 | 2.6% | 100% |
| Peru | 14 | 1.5% | 14.0% | 86 | 1.4% | 86.0% | 100 | 1.4% | 100% |
| Puerto Rico | 59 | 6.2% | 19.5% | 243 | 4.1% | 80.5% | 302 | 4.4% | 100% |
| United States | 240 | 25.4% | 16.1% | 1,254 | 21.0% | 83.9% | 1,494 | 21.6% | 100% |
| Venezuela | 22 | 2.3% | 6.1% | 341 | 5.7% | 93.9% | 363 | 5.3% | 100% |
| Other/Unknown Countries | 243 | 25.7% | 17.0% | 1,184 | 19.9% | 83.0% | 1,427 | 20.7% | 100% |
| Total Adult Hispanic/Latino HIV | 946 | 100% | 13.7% | 5,958 | 100% | 86.3% | 6,904 | 100% | 100% |

Cumulative Number of Reported HIV (Not AIDS) Cases

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

| | MALE-TO | -MALE | INJEC | TION | MSM & | IDU | HETEROS | EXUAL | OTHER | ? * | NO REPO | RTED | Total His | panic/Latin | o Female |
|----------------------------------|----------|--------|---------|---------|--------|-------|---------|-------|-------|------------|---------|-------|-----------|-------------|----------|
| Country of Origin | SEXUAL C | ONTACT | DRUG US | E [IDU] | | | CONTA | СТ | RISK | | RISK [N | IRR] | by C | ountry of O | rigin |
| | Cases | Row % | Cases | Row % | Number | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| Argentina | | | 3 | 14.3% | | | 16 | 76.2% | 0 | 0.0% | 2 | 9.5% | 21 | 2.2% | 100% |
| Colombia | | | 1 | 2.9% | | | 30 | 85.7% | 0 | 0.0% | 4 | 11.4% | 35 | 3.7% | 100% |
| Cuba | | | 8 | 4.8% | | | 134 | 81.2% | 0 | 0.0% | 23 | 13.9% | 165 | 17.4% | 100% |
| Dominican Republic | | | 1 | 2.8% | | | 31 | 86.1% | 0 | 0.0% | 4 | 11.1% | 36 | 3.8% | 100% |
| Honduras | | | 0 | 0.0% | | | 58 | 86.6% | 0 | 0.0% | 9 | 13.4% | 67 | 7.1% | 100% |
| Mexico | | | 2 | 22.2% | | | 5 | 55.6% | 0 | 0.0% | 2 | 22.2% | 9 | 1.0% | 100% |
| Nicaragua | | | 0 | 0.0% | | | 28 | 80.0% | 0 | 0.0% | 7 | 20.0% | 35 | 3.7% | 100% |
| Peru | | | 1 | 7.1% | | | 11 | 78.6% | 0 | 0.0% | 2 | 14.3% | 14 | 1.5% | 100% |
| Puerto Rico | | | 10 | 16.9% | | | 38 | 64.4% | 0 | 0.0% | 11 | 18.6% | 59 | 6.2% | 100% |
| United States | | | 32 | 13.3% | | | 175 | 72.9% | 3 | 1.3% | 30 | 12.5% | 240 | 25.4% | 100% |
| Venezuela | | | 1 | 4.5% | | | 20 | 90.9% | 0 | 0.0% | 1 | 4.5% | 22 | 2.3% | 100% |
| Other/Unknown Countries | | | 7 | 2.9% | | | 167 | 68.7% | 0 | 0.0% | 69 | 28.4% | 243 | 25.7% | 100% |
| Total adult Hispanic/Latino Fema | le | | 66 | 7.0% | | | 713 | 75.4% | 3 | 0.3% | 164 | 17.3% | 946 | 100% | 100% |

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

| Country of Origin | MALE-TO- SEXUAL CO | | INJECT DRUG US | | MSM & | IDU | HETEROS CONTA | _ | OTHER RISK | | NO REPO RISK [N | | | spanic/Lati | |
|--------------------------------|-----------------------|-------|-------------------|-------|-------|-------|------------------|-------|---------------|-------|--------------------|-------|-------|-------------|-------|
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| Argentina | 128 | 87.1% | 2 | 1.4% | 2 | 1.4% | 10 | 6.8% | 0 | 0.0% | 5 | 3.4% | 147 | 2.5% | 100% |
| Colombia | 228 | 82.9% | 1 | 0.4% | 9 | 3.3% | 18 | 6.5% | 0 | 0.0% | 19 | 6.9% | 275 | 4.6% | 100% |
| Cuba | 1,587 | 83.4% | 20 | 1.1% | 38 | 2.0% | 165 | 8.7% | 0 | 0.0% | 93 | 4.9% | 1,903 | 31.9% | 100% |
| Dominican Republic | 51 | 61.4% | 3 | 3.6% | 3 | 3.6% | 18 | 21.7% | 0 | 0.0% | 8 | 9.6% | 83 | 1.4% | 100% |
| Honduras | 109 | 69.9% | 1 | 0.6% | 3 | 1.9% | 29 | 18.6% | 0 | 0.0% | 14 | 9.0% | 156 | 2.6% | 100% |
| Mexico | 116 | 82.9% | 2 | 1.4% | 1 | 0.7% | 12 | 8.6% | 0 | 0.0% | 9 | 6.4% | 140 | 2.3% | 100% |
| Nicaragua | 113 | 77.4% | 3 | 2.1% | 1 | 0.7% | 17 | 11.6% | 0 | 0.0% | 12 | 8.2% | 146 | 2.5% | 100% |
| Peru | 77 | 89.5% | 1 | 1.2% | 1 | 1.2% | 6 | 7.0% | 0 | 0.0% | 1 | 1.2% | 86 | 1.4% | 100% |
| Puerto Rico | 176 | 72.4% | 29 | 11.9% | 17 | 7.0% | 11 | 4.5% | 0 | 0.0% | 10 | 4.1% | 243 | 4.1% | 100% |
| United States | 1,019 | 81.3% | 27 | 2.2% | 29 | 2.3% | 94 | 7.5% | 0 | 0.0% | 85 | 6.8% | 1,254 | 21.0% | 100% |
| Venezuela | 306 | 89.7% | 0 | 0.0% | 2 | 0.6% | 16 | 4.7% | 0 | 0.0% | 17 | 5.0% | 341 | 5.7% | 100% |
| Other/Unknown Countries | 865 | 73.1% | 12 | 1.0% | 14 | 1.2% | 99 | 8.4% | 0 | 0.0% | 194 | 16.4% | 1,184 | 19.9% | 100% |
| Total adult Hispanic/Latino Ma | 4,775 | 80.1% | 101 | 1.7% | 120 | 2.0% | 495 | 8.3% | 0 | 0.0% | 467 | 7.8% | 5,958 | 100% | 100% |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | |
| TOTAL ADULT HISPANIC/LATINO | 4,775 | 69.2% | 167 | 2.4% | 120 | 1.7% | 1,208 | 17.5% | 3 | 0.0% | 631 | 9.1% | 6,904 | 100% | |

FEBRU

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance

Cumulative Number of Reported HIV (Not AIDS) Cases

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

| Exposure Category | MALE-TO- | MALE | INJECT | TION | [MSM\ & [| IDU] | HETEROS | SEXUAL | OTHER | R* | NO REPO | RTED | Total Hait | tian |
|----------------------------|-----------|--------|---------|---------|-----------|-------|---------|--------|-------|-------|---------|-------|------------|-------|
| GENDER | SEXUAL CO | ONTACT | DRUG US | E [IDU] | | | CONTA | СТ | RISK | | RISK [N | IRR] | by Ge | nder |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
| Haitian born Adult Females | | | 11 | 1.9% | | | 507 | 86.5% | 0 | 0.0% | 68 | 11.6% | 586 | 100% |
| Haitian born Adult Males | 110 | 19.5% | 7 | 1.2% | 1 | 0.2% | 310 | 55.0% | 0 | 0.0% | 136 | 24.1% | 564 | 100% |
| Total Haitian born | 110 | 9.6% | 18 | 1.6% | 1 | 0.1% | 817 | 71.0% | 0 | 0.0% | 204 | 17.7% | 1,150 | 100% |

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.

| Dopartment or Correction [DO | -,auic 11 | (| - c, w, .uc | o, | ana gona | |
|------------------------------|-----------|-------|-------------|-------|----------|-------|
| | | DC | OC HIV Cas | ses | | |
| HIV Cases by | Female | е | Male | • | Total | |
| Race/Ethnicity & Gender | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 5 | 33.3% | 77 | 17.7% | 82 | 18.3% |
| Black or African American | 7 | 46.7% | 279 | 64.3% | 286 | 63.7% |
| White | 3 | 20.0% | 60 | 13.8% | 63 | 14.0% |
| Haitian | 0 | 0.0% | 12 | 2.8% | 12 | 2.7% |
| Other (1) | 0 | 0.0% | 6 | 1.4% | 6 | 1.3% |
| Total HIV | 15 | 100% | 434 | 100% | 449 | 100% |

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

HIV / 2016-02.xlsx 15 of 24

FEBRUARY 2016

Perinatal HIV Exposed Cases

| Year of Birth | Perinatal HIV Exposure | Pediatric HIV | Pediatric AIDS | Pediatric seroreverter | Unknown | TOTAL |
|------------------------------------|---------------------------|---------------|----------------|---------------------------|---------|-------|
| >=November 20 th , 2006 | 3 | 0 | 0 | 16 | 0 | 19 |
| 2007 | 32 | 1 | 0 | 106 | 0 | 139 |
| 2008 | 39 | 1 | 1 | 91 | 0 | 132 |
| 2009 | 30 | 2 | 0 | 87 | 0 | 119 |
| 2010 | 39 | 3 | 0 | 83 | 0 | 125 |
| 2011 | 13 | 1 | 0 | 105 | 0 | 119 |
| 2012 | 10 | 1 | 0 | 90 | 0 | 101 |
| 2013 | 12 | 2 | 1 | 81 | 0 | 96 |
| 2014 | 4 | 1 | 0 | 84 | 0 | 89 |
| 2015 | 24 | 5 | 0 | 66 | 0 | 95 |
| 2016 | 8 | 0 | 0 | 1 | 0 | 9 |
| Total | 214 | 17 | 2 | 810 | 0 | 1,043 |

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. (1)

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. (1)

| Year of Birth | Hispanic | Not Hispanic, Black | Not Hispanic, White | Not Hispanic, Other ⁽²⁾ | TOTAL |
|------------------------------------|----------|------------------------|------------------------|---------------------------------------|-------|
| >=November 20 th , 2006 | 3 | 15 | 1 | 0 | 19 |
| 2007 | 22 | 110 | 5 | 2 | 139 |
| 2008 | 19 | 111 | 2 | 0 | 132 |
| 2009 | 24 | 91 | 3 | 1 | 119 |
| 2010 | 31 | 87 | 5 | 2 | 125 |
| 2011 | 21 | 90 | 7 | 1 | 119 |
| 2012 | 23 | 68 | 8 | 2 | 101 |
| 2013 | 17 | 75 | 3 | 1 | 96 |
| 2014 | 15 | 70 | 4 | 0 | 89 |
| 2015 | 17 | 75 | 3 | 0 | 95 |
| 2016 | 1 | 7 | 1 | 0 | 9 |
| Total | 193 | 799 | 42 | 9 | 1,043 |

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Perinatal HIV Exposed Cases

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. (1)

| Year of Birth | Know HIV (+) before pregnancy | Know HIV (+) during pregnancy | Know HIV (+) at time of delivery | Know HIV (+) sometime before birth | Know HIV (+) sometime after birth | HIV (+) with time unknown | TOTAL |
|------------------------------------|-------------------------------------|-------------------------------------|----------------------------------|--|---|---------------------------|-------|
| >=November 20 th , 2006 | 16 | 2 | 0 | 0 | 0 | 1 | 19 |
| 2007 | 92 | 34 | 10 | 0 | 3 | 0 | 139 |
| 2008 | 95 | 35 | 2 | 0 | 0 | 0 | 132 |
| 2009 | 87 | 24 | 8 | 0 | 0 | 0 | 119 |
| 2010 | 90 | 25 | 5 | 2 | 1 | 2 | 125 |
| 2011 | 89 | 24 | 3 | 2 | 1 | 0 | 119 |
| 2012 | 75 | 24 | 2 | 0 | 0 | 0 | 101 |
| 2013 | 78 | 12 | 2 | 3 | 0 | 1 | 96 |
| 2014 | 77 | 11 | 0 | 1 | 0 | 0 | 89 |
| 2015 | 78 | 11 | 1 | 1 | 1 | 3 | 95 |
| 2016 | 5 | 4 | 0 | 0 | 0 | 0 | 9 |
| Total | 782 | 206 | 33 | 9 | 6 | 7 | 1,043 |

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. (1)

| Diagnosis Status | Know HIV (+) before pregnancy | Know HIV (+) during pregnancy | Know HIV (+) at time of delivery | Know HIV (+) sometime before birth | Know HIV (+) sometime after birth | HIV (+) with time unknown | TOTAL |
|------------------------|-------------------------------------|-------------------------------------|----------------------------------|--|---|---------------------------|-------|
| Perinatal HIV Exposure | 152 | 42 | 11 | 5 | 3 | 1 | 214 |
| Pediatric HIV | 12 | 1 | 3 | 0 | 1 | 0 | 17 |
| Pediatric AIDS | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| Pediatric Seroreverter | 616 | 163 | 19 | 4 | 2 | 6 | 810 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | - |
| Total | 782 | 206 | 33 | 9 | 6 | 7 | 1,043 |

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006. (1)

| Diagnosis Status | HIV (+) Definitive | HIV (+) Presumptive | HIV Indeterminate | HIV (-) Definitive | HIV (-) Presumptive | Unknown | TOTAL |
|------------------------|--------------------|------------------------|----------------------|--------------------|------------------------|---------|-------|
| Perinatal HIV Exposure | 0 | 0 | 214 | 0 | 0 | 0 | 214 |
| Pediatric HIV | 17 | 0 | 0 | 0 | 0 | 0 | 17 |
| Pediatric AIDS | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| Pediatric Seroreverter | 0 | 0 | 0 | 591 | 219 | 0 | 810 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | - |
| Total | 19 | 0 | 214 | 591 | 219 | 0 | 1,043 |

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Perinatal HIV Exposed Cases

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2015.

| Perinatal HIV/AIDS | Pediatric | HIV | Pedia | tric AIDS | | TOTAL | |
|----------------------------------|-----------|---------|-------|-----------|-------|-------|---------|
| Cases by Year of Birth | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| 2000 | 5 | 71.4% | 2 | 28.6% | 7 | 12.5% | 100% |
| 2001 | 6 | 60.0% | 4 | 40.0% | 10 | 17.9% | 100% |
| 2002 | 3 | 50.0% | 3 | 50.0% | 6 | 10.7% | 100% |
| 2003 | 3 | 75.0% | 1 | 25.0% | 4 | 7.1% | 100% |
| 2004 | 1 | 50.0% | 1 | 50.0% | 2 | 3.6% | 100% |
| 2005 | 3 | 60.0% | 2 | 40.0% | 5 | 8.9% | 100% |
| 2006 | 2 | 66.7% | 1 | 33.3% | 3 | 5.4% | 100% |
| 2007 | 1 | 100.0% | 0 | 0.0% | 1 | 1.8% | 100% |
| 2008 | 1 | 50.0% | 1 | 50.0% | 2 | 3.6% | 100% |
| 2009 | 2 | 100.0% | 0 | 0.0% | 2 | 3.6% | 100% |
| 2010 | 3 | 100.0% | 0 | 0.0% | 3 | 5.4% | 100% |
| 2011 | 1 | 100.0% | 0 | 0.0% | 1 | 1.8% | 100% |
| 2012 | 1 | 100.0% | 0 | 0.0% | 1 | 1.8% | 100% |
| 2013 | 2 | 66.7% | 1 | 33.3% | 3 | 5.4% | 100% |
| 2014 | 1 | 100.0% | 0 | 0.0% | 1 | 1.8% | 100% |
| 2015 | 5 | 100.0% | 0 | 0.0% | 5 | 8.9% | 100% |
| 2016 | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | #DIV/0! |
| Total Confirmed Perinatal Cases | 40 | 71% | 16 | 29% | 56 | 100% | 100% |

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Perinatal HIV Exposed Cases

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. (1)

| Hospital of Birth | Perinatal HIV Exposure | Pediatric HIV | Pediatric AIDS | Perinatal Seroreverter | Unknown | TOTAL | TOTAL % |
|----------------------------------|---------------------------|---------------|----------------|---------------------------|---------|-------|---------|
| BAPTIST HOSPITAL-MIAMI | 3 | 0 | 0 | 3 | 0 | 6 | 0.6% |
| BROWARD GENERAL MEDICAL CTR. | 2 | 0 | 0 | 2 | 0 | 4 | 0.4% |
| CORAL SPRINGS MEDICAL CTR. | 1 | 0 | 0 | 0 | 0 | 1 | 0.1% |
| HIALEAH HOSPITAL | 2 | 0 | 0 | 1 | 0 | 3 | 0.3% |
| HOMESTEAD HOSPITAL | 8 | 1 | 0 | 1 | 0 | 10 | 1.0% |
| JACKSON N MATERNITY CTR. | 0 | 0 | 0 | 2 | 0 | 2 | 0.2% |
| JACKSON NORTH MEDICAL CTR. | 8 | 3 | 0 | 18 | 0 | 29 | 2.8% |
| JACKSON SOUTH MEDICAL CTR. | 2 | 0 | 0 | 15 | 0 | 17 | 1.6% |
| JACKSON MEMORIAL HOSPITAL | 145 | 7 | 0 | 717 | 0 | 869 | 83.3% |
| KENDALL RMC | 1 | 0 | 0 | 1 | 0 | 2 | 0.2% |
| MEMORIAL HOSPITAL-MIRAMAR | 1 | 0 | 1 | 0 | 0 | 2 | 0.2% |
| MEMORIAL HOSPITAL-SOUTH | 1 | 0 | 0 | 0 | 0 | 1 | 0.1% |
| MEMORIAL HOSPITAL-WEST | 1 | 0 | 0 | 2 | 0 | 3 | 0.3% |
| MEMORIAL HOSPITAL-PEMBROKE PINES | 3 | 0 | 0 | 1 | 0 | 4 | 0.4% |
| MEMORIAL HOSPITAL-HOLLYWOOD | 10 | 0 | 0 | 8 | 0 | 18 | 1.7% |
| MERCY HOSPITAL | 2 | 0 | 0 | 0 | 0 | 2 | 0.2% |
| MIAMI CHILDREN'S HOSPITAL | 1 | 0 | 0 | 0 | 0 | 1 | 0.1% |
| MIAMI-DADE PVT PHYSICIAN-MIAMI | 2 | 0 | 0 | 0 | 0 | 2 | 0.2% |
| MOUNT SINAI MC | 1 | 0 | 0 | 1 | 0 | 2 | 0.2% |
| NORTH SHORE MEDICAL CTR. | 13 | 2 | 0 | 27 | 0 | 42 | 4.0% |
| PLANTATION GENERAL HOSPITAL | 1 | 0 | 0 | 1 | 0 | 2 | 0.2% |
| SOUTH MIAMI HOSPITAL | 1 | 0 | 0 | 0 | 0 | 1 | 0.1% |
| UF HEALTH AT JACKSONVILLE | 1 | 0 | 0 | 0 | 0 | 1 | 0.1% |
| WELLINGTON RMS | 1 | 0 | 0 | 0 | 0 | 1 | 0.1% |
| UNKNOWN | 3 | 4 | 1 | 10 | 0 | 18 | 1.7% |
| TOTAL | 214 | 17 | 2 | 810 | 0 | 1,043 | 100% |

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY HIV/AIDS SURVEILLANCE AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014

Total prevalence through 2014, as of June 2015, excluding Department of Correction [DOC] cases

* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

| | * LIVING CASES by DIAGNOSIS | | | | | | | | |
|------------------|-----------------------------|-------|------------|-------|------------------|-------|--|--|--|
| | AIDS | | HIV (Not A | IDS) | Total Prevalence | | | | |
| GENDER | Cases | Col % | Cases | Col % | Cases | Col % | | | |
| Female | 3,838 | 29% | 3,346 | 27% | 7,184 | 28% | | | |
| Male | 9,614 | 71% | 9,244 | 73% | 18,858 | 72% | | | |
| Total Prevalence | 13,452 | 100% | 12,590 | 100% | 26,042 | 100% | | | |

| | * LIVING CASES by DIAGNOSIS | | | | | | * LIVING CASES by GENDER | | | | | | |
|----------------------|-----------------------------|-------|------------|----------------|--------|------------------|--------------------------|--------|--------|-------|--------|------------------|--|
| | AIDS | | HIV (Not A | HIV (Not AIDS) | | Total Prevalence | | FEMALE | | MALE | | Total Prevalence | |
| RACE/ETHNICITY | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | |
| Hispanic (All Races) | 5,472 | 41% | 5,644 | 45% | 11,116 | 43% | 1,648 | 23% | 9,468 | 50% | 11,116 | 43% | |
| Not Hispanic, Black | 6,335 | 47% | 5,202 | 41% | 11,537 | 44% | 5,099 | 71% | 6,438 | 34% | 11,537 | 44% | |
| Not Hispanic, White | 1,425 | 11% | 1,595 | 13% | 3,020 | 12% | 335 | 5% | 2,685 | 14% | 3,020 | 12% | |
| Not Hispanic, Other | 220 | 2% | 149 | 1% | 369 | 1% | 102 | 1% | 267 | 1% | 369 | 1% | |
| Total Prevalence | 13,452 | 100% | 12,590 | 100% | 26,042 | 100% | 7,184 | 100% | 18,858 | 100% | 26,042 | 100% | |

| | * Adult Prevalence | | | | | * Pediatric Prevalence | | | | * TOTAL Prevalence | | | | | | | | |
|----------------------|--------------------|-------|--------|-------|----------|------------------------|-------|-------|-------|--------------------|-----------|--------|----------|-------|----------|-------|-------------|-------|
| RACE/ETHNICITY | Female | | Male | | Total Ad | ult | Femal | е | Male | | Total Ped | iatric | Total Fe | male | Total Ma | ile | Total Preva | lence |
| BY GENDER | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic (All Races) | 1,647 | 23.0% | 9,465 | 50.2% | 11,112 | 42.7% | 1 | 7.7% | 3 | 16.7% | 4 | 12.9% | 1,648 | 22.9% | 9,468 | 50.2% | 11,116 | 42.7% |
| Not Hispanic, Black | 5,087 | 70.9% | 6,423 | 34.1% | 11,510 | 44.3% | 12 | 92.3% | 15 | 83.3% | 27 | 87.1% | 5,099 | 71.0% | 6,438 | 34.1% | 11,537 | 44.3% |
| Not Hispanic, White | 335 | 4.7% | 2,685 | 14.3% | 3,020 | 11.6% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 335 | 4.7% | 2,685 | 14.2% | 3,020 | 11.6% |
| Not Hispanic, Other | 102 | 1.4% | 267 | 1.4% | 369 | 1.4% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 102 | 1.4% | 267 | 1.4% | 369 | 1.4% |
| Total Prevalence | 7,171 | 100% | 18,840 | 100% | 26,011 | 100% | 13 | 100% | 18 | 100% | 31 | 100% | 7,184 | 100% | 18,858 | 100% | 26,042 | 100% |

FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY HIV/AIDS SURVEILLANCE AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014

Total prevalence through 2014, as of June 2015, excluding Department of Correction [DOC] cases

* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

| | * LIVING CASES by DIAGNOSIS | | | | | | * LIVING CASES by GENDER | | | | | |
|------------------|-----------------------------|-------|----------------|-------|------------------|-------|--------------------------|-------|--------|-------|------------------|-------|
| | AIDS | | HIV (Not AIDS) | | Total Prevalence | | FEMALE | | MALE | | Total Prevalence | |
| CURRENT AGE | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| 00-12 years | 8 | 0% | 23 | 0% | 31 | 0% | 13 | 0% | 18 | 0% | 31 | 0% |
| 13-19 years | 42 | 0% | 107 | 1% | 149 | 1% | 72 | 1% | 77 | 0% | 149 | 1% |
| 20-24 years | 189 | 1% | 521 | 4% | 710 | 3% | 202 | 3% | 508 | 3% | 710 | 3% |
| 25-29 years | 403 | 3% | 1,028 | 8% | 1,431 | 5% | 374 | 5% | 1,057 | 6% | 1,431 | 5% |
| 30-39 years | 1,342 | 10% | 2,610 | 21% | 3,952 | 15% | 1,220 | 17% | 2,732 | 14% | 3,952 | 15% |
| 40-49 years | 3,657 | 27% | 3,606 | 29% | 7,263 | 28% | 1,936 | 27% | 5,327 | 28% | 7,263 | 28% |
| 50-59 years | 4,973 | 37% | 3,161 | 25% | 8,134 | 31% | 2,164 | 30% | 5,970 | 32% | 8,134 | 31% |
| 60+ years | 2,838 | 21% | 1,534 | 12% | 4,372 | 17% | 1,203 | 17% | 3,169 | 17% | 4,372 | 17% |
| Total Prevalence | 13,452 | 100% | 12,590 | 100% | 26,042 | 100% | 7,184 | 100% | 18,858 | 100% | 26,042 | 100% |

| | * LIVING (| * LIVING CASES by DIAGNOSIS and GENDER | | | | | | | | |
|--|------------|--|------------|-------|------------|----------------|---------------|--|--|--|
| | AIDS | | HIV (Not A | IDS) | Total Prev | /alence | | | | |
| EXPOSURE CATEGORY (1) | Cases | Col % | Cases | Col % | Cases | Col % | | | | |
| ADULT MALE | | | | | | % of Male | % of Total | | | |
| Adult male-to-male sexual contact [MSN | 6,315 | 66% | 7,026 | 76% | 13,341 | 71% | 51% | | | |
| Adult injection drug use [IDU] | 657 | 7% | 298 | 3% | 955 | 5% | 4% | | | |
| Adult MSM & IDU | 459 | 5% | 244 | 3% | 703 | 4% | 3% | | | |
| Adult heterosexual contact [HTRSX] | 2,058 | 21% | 1,612 | 17% | 3,670 | 19% | 14% | | | |
| Adult other risk | 121 | 1% | 50 | 1% | 171 | 1% | 1% | | | |
| Total Adult Male Prevalence | 9,610 | 100% | 9,230 | 100% | 18,840 | 100% | | | | |
| ADULT FEMALE | | | | | | % of Female | % of Total | | | |
| Adult injection drug use [IDU] | 504 | 13% | 241 | 7% | 745 | 10% | 3% | | | |
| Adult heterosexual contact [HTRSX] | 3,200 | 83% | 3,023 | 91% | 6,223 | 87% | 24% | | | |
| Adult other risk | 130 | 3% | 73 | 2% | 203 | 3% | 1% | | | |
| Total Adult Female Prevalence | 3,834 | 100% | 3,337 | 100% | 7,171 | 100% | | | | |
| PEDIATRIC (Current age 0-12) | | | | | | % Pediatric | % of Total | | | |
| Mother with/at risk for HIV infection | 8 | 100% | 23 | 100% | 31 | 100% | 0% | | | |
| Risk not diagnosed/Other | 0 | 0% | 0 | 0% | 0 | 0% | 0% | | | |
| Total Pediatric Prevalence | 8 | 100% | 23 | 100% | 31 | 100% | | | | |
| Total Prevalence | 13,452 | | 12,590 | | 26,042 | | 100% | | | |

⁽¹⁾ No identified risk [NIR] redistributed

(Continue next Page)

Source: Florida Department of Health, Bureau of Communicable Diseases HIV/AIDS Section

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

* ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida,

| ADULT MALE LIVING WITH HIV OR AIDS | |
|--|---|
| MIAMI-DADE | FLORIDA |
| One in 61 White adult male in Miami-Dade is living with HIV or AIDS | One in 170 White adult male |
| One in 26 Black adult male in Miami-Dade is living with HIV or AIDS | One in 38 Black adult male |
| One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS | One in 98 Hispanic adult male |
| One in 89 other race adult male in Miami-Dade is living with HIV or AIDS | One in 200 Other adult male |
| One in 56 adult male in Miami-Dade is living with HIV or AIDS | One in 103 adult male in Florida |

| ADULT FEMALE LIVING WITH HIV OR AIDS | |
|---|--|
| MIAMI-DADE | FLORIDA |
| One in 461 White adult female in Miami-Dade is living with HIV or AIDS | One in 1,049 White adult female |
| One in 37 Black adult female in Miami-Dade is living with HIV or AIDS | One in 60 Black adult female |
| One in 473 Hispanic adult female in Miami-Dade is living with HIV or AIDS | One in 422 Hispanic adult female |
| One in 259 other race adult female in Miami-Dade is living with HIV or AID. | One in 573 Other adult female |
| One in 160 adult female in Miami-Dade is living with HIV or AIDS | One in 275 adult female in Florida |

| TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS | | | | | | |
|--|---|--|--|--|--|--|
| MIAMI-DADE | FLORIDA | | | | | |
| One in 106 White adult in Miami-Dade is living with HIV or AIDS | One in 298 White adult | | | | | |
| One in 31 Black adult in Miami-Dade is living with HIV or AIDS | One in 47 Black adult | | | | | |
| One in 134 Hispanic adult in Miami-Dade is living with HIV or AIDS | One in 161 Hispanic adult | | | | | |
| One in 136 other race adult in Miami-Dade is living with HIV or AIDS | One in 307 Other adult race | | | | | |
| One in 85 adult resident in Miami-Dade is living with HIV or AIDS | One in 151 adult Floridian | | | | | |

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

^{*} Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

* ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida

| TOTAL MALE LIVING WITH HIV OR AIDS | |
|---|--|
| MIAMI-DADE | FLORIDA |
| One in 73 White male in Miami-Dade is living with HIV or AIDS | One in 193 White male |
| One in 32 Black male in Miami-Dade is living with HIV or AIDS | One in 48 Black male |
| One in 88 Hispanic male in Miami-Dade is living with HIV or AIDS | One in 122 Hispanic male |
| One in 108 other race male in Miami-Dade is living with HIV or AIDS | One in 262 Other male |
| One in 67 male in Miami-Dade is living with HIV or AIDS | One in 121 male in Florida |

| TOTAL FEMALE LIVING WITH HIV OR AIDS | |
|---|--|
| MIAMI-DADE | FLORIDA |
| One in 551 White female in Miami-Dade is living with HIV or AIDS | One in 1,176 White female |
| One in 45 Black female in Miami-Dade is living with HIV or AIDS | One in 74 Black female |
| One in 546 Hispanic female in Miami-Dade is living with HIV or AIDS | One in 514 Hispanic female |
| One in 309 other race female in Miami-Dade is living with HIV or AIDS | One in 724 Other female |
| One in 187 female in Miami-Dade is living with HIV or AIDS | One in 320 female in Florida |

| TOTAL ALL SEXES LIVING WITH HIV OR AIDS | |
|--|---|
| MIAMI-DADE | FLORIDA |
| One in 126 White in Miami-Dade is living with HIV or AIDS | One in 336 White |
| One in 38 Black in Miami-Dade is living with HIV or AIDS | One in 59 Black |
| One in 156 Hispanic in Miami-Dade is living with HIV or AIDS | One in 198 Hispanic |
| One in 164 other race in Miami-Dade is living with HIV or AIDS | One in 394 Other race |
| One in 100 Miami-Dade resident is living with HIV or AIDS | One in 178 Floridian |

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

^{*} Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY USEFUL WEBSITE LINKS

Below are several website that may be useful for HIV/AIDS related information.

| USEFUL WEBSITE LINKS | |
|---|---|
| ORGANIZATIONS / SITES | ELECTRONIC ADDRESS |
| Data from the HIV Counseling and Testing (Florida & all Counties) | http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html |
| Center for Disease Control and Prevention [CDC] | http://www.cdc.gov |
| Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance | http://www.cdc.gov/hiv/topics/surveillance/ |
| Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR] | http://www.cdc.gov/mmwr/ |
| Florida Community Health Assessment Resource Tool Set [Florida CHARTS] | http://www.floridacharts.com/charts/default.aspx |
| Florida Department of Health in Miami-Dade County | http://miamidade.floridahealth.gov |
| Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section. | http://www.floridahealth.gov/diseases-and-conditions/aids/index.html |
| Organización Panamericana de la Salud [PAHO] (Pan American Health Organization) | http://www.paho.org |
| The Test Miami Initiative | http://www.testmiami.org/index.aspx |
| United Nations Program on HIV/AIDS [UNAIDS] | http://www.unaids.org/ |
| US Census Bureau. | http://www.census.gov |
| US Census Bureau. HIV/AIDS Surveillance | http://www.census.gov/ipc/www/hivaidsn.html |
| World Health Organization [WHO] | http://www.who.int |

WEBSITES 24 of 24